

# - Open Vulnerability and Assessment Language - Element Dictionary

- Schema: FreeBSD Definition
- Version: 5.1
- Release Date: 6 November 2006

The following is a description of the elements, types, and attributes that compose the FreeBSD specific tests found in Open Vulnerability and Assessment Language (OVAL). Each test is an extension of the standard test element defined in the Core Definition Schema. Through extension, each test inherits a set of elements and attributes that are shared amongst all OVAL tests. Each test is described in detail and should provide the information necessary to understand what each element and attribute represents. This document is intended for developers and assumes some familiarity with XML. A high level description of the interaction between the different tests and their relationship to the Core Definition Schema is not outlined here.

The OVAL Schema is maintained by The Mitre Corporation and developed by the public OVAL Community. For more information, including how to get involved in the project and how to submit change requests, please visit the OVAL website at <http://oval.mitre.org>.

---

---

## < portinfo\_test >

The port info test is used to check the properties of a component of a FreeBSD system. It extends the standard TestType as defined in the oval-definitions-schema and one should refer to the TestType description for more information. The required object element references an portinfo\_object and the optional state element specifies the data to check. The evaluation of the test is guided by the check attribute that is inherited from the TestType.

Child Elements	Type	MinOccurs	MaxOccurs
object	oval-def:ObjectRefType	1	1
state	oval-def:StateRefType	0	1

## < portinfo\_object >

The portinfo\_object element is used by a port info test to define the specific FreeBSD package to be evaluated. Each object extends the standard ObjectType as defined in the oval-definitions-schema and one should refer to the ObjectType description for more information. The common set element allows complex objects to be created using filters and set logic. Again, please refer to the description of the set element in the oval-definitions-schema.

A port info object consists of a single pkginst element that identifies a specific package.

Child Elements	Type	MinOccurs	MaxOccurs
pkginst	oval-def:EntityObjectStringType	1	1

## < portinfo\_state >

The portinfo\_state element defines the different information that can be used to evaluate the specified package. This includes the name, category, version, vendor, and description. Please refer to the individual elements in the schema for more details about what each represents.

<b>Child Elements</b>	<b>Type</b>	<b>MinOccurs</b>	<b>MaxOccurs</b>
pkginst	oval-def:EntityStateStringType	0	1
name	oval-def:EntityStateStringType	0	1
category	oval-def:EntityStateStringType	0	1
version	oval-def:EntityStateStringType	0	1
vendor	oval-def:EntityStateStringType	0	1
description	oval-def:EntityStateStringType	0	1